

# Essential Hydraulics

<b>Introduction .....</b>	<b>12</b>
<b>About this Seminar.....</b>	<b>12</b>
<b>About the Labs and Trainers.....</b>	<b>12</b>
<b>About Safety .....</b>	<b>12</b>
<b>Pre-Evaluation.....</b>	<b>14</b>
<b>Fluid Power Rules-of-Thumb.....</b>	<b>18</b>
<b>Test Equipment.....</b>	<b>19</b>
<b>Pressure Gauges .....</b>	<b>19</b>
<b>General .....</b>	<b>19</b>
<b>Where To Check Pressure.....</b>	<b>19</b>
<b>Bourdon Tube Pressure Gauge .....</b>	<b>19</b>
<b>Operation .....</b>	<b>20</b>
<b>Application.....</b>	<b>21</b>
<b>Digital Pressure Gauge.....</b>	<b>21</b>
<b>Use &amp; Care .....</b>	<b>21</b>
<b>Gauge Snubbers.....</b>	<b>21</b>
<b>Flow Meters.....</b>	<b>22</b>
<b>Variable Area Flow Meter .....</b>	<b>22</b>
<b>Operation .....</b>	<b>22</b>
<b>Use &amp; Care .....</b>	<b>22</b>
<b>Foundation Principles .....</b>	<b>23</b>
<b>Pressure.....</b>	<b>23</b>
<b>Pascal's Law.....</b>	<b>23</b>
<b>Characteristics of Pressurized Fluid .....</b>	<b>23</b>
<b>Force .....</b>	<b>24</b>
<b>F = P × A.....</b>	<b>24</b>
<b>Atmospheric Pressure .....</b>	<b>26</b>
<b>Flow .....</b>	<b>27</b>
<b>Heat and Horsepower .....</b>	<b>29</b>
<b>Calculations: Horsepower.....</b>	<b>29</b>

<b>Fluid Line Velocity &amp; Color-Coding .....</b>	<b>30</b>
<b>Fluid Line/Hose Sizing .....</b>	<b>31</b>
<b>Schematics &amp; Symbols .....</b>	<b>32</b>
<b>Reading and Drawing Schematics.....</b>	<b>32</b>
<b>Schematic Symbol Elements.....</b>	<b>32</b>
<b>Complete Symbols.....</b>	<b>34</b>
<b>Complete Schematic.....</b>	<b>37</b>
<b>Lab: Basic Hydraulics.....</b>	<b>38</b>
<b>Components .....</b>	<b>38</b>
<b>Schematic: Basic Hydraulics .....</b>	<b>39</b>
<b>Review: Basic Hydraulics .....</b>	<b>41</b>
<b>Lab: Pressure &amp; Flow.....</b>	<b>42</b>
<b>Schematic: Pressure &amp; Flow #1 .....</b>	<b>43</b>
<b>Schematic: Pressure &amp; Flow #2 .....</b>	<b>44</b>
<b>Review: Pressure &amp; Flow .....</b>	<b>45</b>
<b>Series Circuits .....</b>	<b>46</b>
<b>Lab: Series Circuits .....</b>	<b>48</b>
<b>Schematic: Series Circuits .....</b>	<b>49</b>
<b>Series Circuit Intensification .....</b>	<b>52</b>
<b>Parallel Circuits .....</b>	<b>53</b>
<b>Lab: Parallel Circuits.....</b>	<b>55</b>
<b>Schematic: Parallel Circuits .....</b>	<b>56</b>
<b>Contamination Control.....</b>	<b>58</b>
<b>Functions of Hydraulic Fluid.....</b>	<b>58</b>
<b>Contamination Damage .....</b>	<b>58</b>
<b>Component Clearances &amp; Particulate Size .....</b>	<b>59</b>
<b>Sources of Contamination .....</b>	<b>60</b>
<b>Manufacturing Debris .....</b>	<b>60</b>
<b>Ingested .....</b>	<b>60</b>
<b>Internally Generated.....</b>	<b>60</b>
<b>System Cleanliness Level Analysis.....</b>	<b>61</b>

<b>ISO 4406 .....</b>	<b>61</b>
<b>Cleanliness Level Target .....</b>	<b>63</b>
<b>Oil Sampling &amp; Testing .....</b>	<b>63</b>
<b>Beta Ratio .....</b>	<b>64</b>
<b>Hydraulic Pumps.....</b>	<b>65</b>
<b>    Non-Positive Displacement.....</b>	<b>65</b>
<b>    Positive Displacement .....</b>	<b>65</b>
<b>    Displacement .....</b>	<b>65</b>
<b>    Cubic Inches per Minute .....</b>	<b>65</b>
<b>    Gallons Per Minute .....</b>	<b>65</b>
<b>        Calculations: Pumps .....</b>	<b>66</b>
<b>    Pump Types and Families.....</b>	<b>67</b>
<b>        Gear Pumps .....</b>	<b>68</b>
<b>        Lab: Gear Pump Dissection.....</b>	<b>69</b>
<b>        Review: Gear Pump Dissection .....</b>	<b>72</b>
<b>        Vane Pumps .....</b>	<b>73</b>
<b>            Balanced Vane Pumps.....</b>	<b>73</b>
<b>        Lab: Vane Pump Dissection .....</b>	<b>74</b>
<b>        Review: Vane Pump Dissection .....</b>	<b>77</b>
<b>        Piston Pumps .....</b>	<b>78</b>
<b>            Variable Volume, Pressure-Compensated .....</b>	<b>79</b>
<b>            Maximum Volume Stop .....</b>	<b>80</b>
<b>        Lab: Piston Pump Dissection .....</b>	<b>81</b>
<b>            Compensator:.....</b>	<b>81</b>
<b>            Pump: .....</b>	<b>82</b>
<b>        Review: Piston Pump Dissection.....</b>	<b>85</b>
<b>        Lab: Volume Stop Adjustment .....</b>	<b>86</b>
<b>            Schematic: Volume Stop Adjustment.....</b>	<b>87</b>
<b>Relief Valves.....</b>	<b>88</b>
<b>    Direct Acting Relief Valve .....</b>	<b>88</b>
<b>        Operation.....</b>	<b>88</b>
<b>        Advantages .....</b>	<b>88</b>
<b>        Disadvantages .....</b>	<b>88</b>

<b>Pressure Override.....</b>	<b>88</b>
<b>Pilot-Operated Relief Valve.....</b>	<b>89</b>
<b>Operation.....</b>	<b>89</b>
<b>Advantages .....</b>	<b>89</b>
<b>Disadvantages .....</b>	<b>89</b>
<b>Pilot Stage .....</b>	<b>89</b>
<b>Main Stage .....</b>	<b>89</b>
<b>Vented and Remote Relief .....</b>	<b>90</b>
<b>Vented and Remote Relief .....</b>	<b>91</b>
<b>Pilot-Operated Relief, Cartridge Type .....</b>	<b>92</b>
<b>Lab: Relief Valve Dissection.....</b>	<b>93</b>
<b>Review: Relief Valve Dissection .....</b>	<b>99</b>
<b>Pump and Relief Valve Coexistence .....</b>	<b>100</b>
<b>Lab: Pump &amp; Relief Relationship .....</b>	<b>101</b>
<b>Schematic: Pump &amp; Relief Relationship .....</b>	<b>105</b>
<b>Review: Pump &amp; Relief Relationship .....</b>	<b>106</b>
<b>Flow Controls .....</b>	<b>107</b>
<b>Pressure-Compensated Flow Controls .....</b>	<b>108</b>
<b>Flow Control Application.....</b>	<b>110</b>
<b>Meter-In.....</b>	<b>110</b>
<b>Meter-Out .....</b>	<b>111</b>
<b>Bleed-Off .....</b>	<b>112</b>
<b>Directional Controls.....</b>	<b>113</b>
<b>General Information.....</b>	<b>113</b>
<b>Sliding Spools.....</b>	<b>113</b>
<b>Operators .....</b>	<b>113</b>
<b>About Directional Control Symbols .....</b>	<b>114</b>
<b>Center Condition &amp; Application.....</b>	<b>114</b>
<b>Closed Center.....</b>	<b>115</b>
<b>Float Center .....</b>	<b>116</b>
<b>Open Center.....</b>	<b>117</b>
<b>Tandem Center.....</b>	<b>118</b>

<b>Pilot-Operated Directional Valve.....</b>	<b>119</b>
<b>Lab: Pilot-Operated Directional Valve Dissection .....</b>	<b>120</b>
<b>Pilot and Drain Plugging .....</b>	<b>124</b>
<b>Schematic: Pilot-Operated Directional Valve Dissection</b>	<b>126</b>
<b>Review: Pilot-Operated Directional Valve Dissection</b>	<b>127</b>
<b>Hydraulic Cylinders.....</b>	<b>128</b>
<b>Single-Acting.....</b>	<b>128</b>
<b>Double-Acting .....</b>	<b>128</b>
<b>Flow and Pressure Considerations.....</b>	<b>129</b>
<b>Cylinder Calculations .....</b>	<b>130</b>
<b>Area .....</b>	<b>130</b>
<b>Calculations: Force, Pressure, Area .....</b>	<b>131</b>
<b>Area Ratio .....</b>	<b>132</b>
<b>Calculations: Area Ratio .....</b>	<b>133</b>
<b>Stroke Time.....</b>	<b>134</b>
<b>Rod Speed .....</b>	<b>135</b>
<b>Lab: Cylinder – Meter-Out, Working Line .....</b>	<b>136</b>
<b>Schematic: Cylinder – Meter-Out, Working Line .....</b>	<b>137</b>
<b>Review: Cylinder – Meter-Out, Working Line .....</b>	<b>138</b>
<b>Lab: Cylinder – Determining Flow Rate (CIM) .....</b>	<b>139</b>
<b>Hydraulic Motors .....</b>	<b>141</b>
<b>Cubic Inch Displacement .....</b>	<b>141</b>
<b>Cubic Inches Per Minute .....</b>	<b>141</b>
<b>Motor Types.....</b>	<b>142</b>
<b>Gear .....</b>	<b>142</b>
<b>External Gear.....</b>	<b>142</b>
<b>Advantages.....</b>	<b>142</b>
<b>Disadvantages .....</b>	<b>142</b>
<b>Inner Gear .....</b>	<b>142</b>
<b>Vane.....</b>	<b>142</b>

<b>Piston .....</b>	<b>142</b>
<b>RPM.....</b>	<b>143</b>
ci/min = GPM × 231 .....	143
RPM = ci/min ÷ CID .....	143
Calculations: RPM .....	144
<b>Schematic: Motor Displacement, part 1 .....</b>	<b>148</b>
<b>Schematic: Motor Displacement, part 2 .....</b>	<b>149</b>
<b>Torque.....</b>	<b>150</b>
Calculations: Torque.....	151
<b>Lab: Series Motors – Meter-In, Working Line .....</b>	<b>152</b>
<b>Schematic: Series Motors – Meter-In, Working Line</b>	<b>154</b>
<b>Review: Series Motors – Meter-In, Working Line .....</b>	<b>155</b>
<b>Lab: Series Motors – Meter-Out, Working Line .....</b>	<b>156</b>
<b>Schematic: Series Motors – Meter-Out, Working Line</b>	<b>157</b>
<b>Review: Series Motors–Meter-Out, Working Line.....</b>	<b>158</b>
<b>Lab: Parallel Motors – Meter-In, Pressure Line .....</b>	<b>159</b>
<b>Schematic: Parallel Motors–Meter-In, Pressure Line #1</b>	<b>160</b>
<b>Schematic: Parallel Motors–Meter-In, Pressure Line #2</b>	<b>162</b>
<b>Review: Parallel Motors–Meter-In, Pressure Line .....</b>	<b>163</b>
<b>Rotary Actuators .....</b>	<b>165</b>
<b>Characteristics .....</b>	<b>165</b>
<b>Primary Types .....</b>	<b>165</b>
<b>Vane.....</b>	<b>165</b>
<b>Rack &amp; Pinion.....</b>	<b>165</b>
<b>Lab: Final Project.....</b>	<b>166</b>
<b>Introduction: Final Project .....</b>	<b>166</b>
<b>Specifications: Final Project .....</b>	<b>167</b>
<b>Sequence of Operation.....</b>	<b>167</b>
<b>Clamp Cylinder Requirements .....</b>	<b>167</b>
<b>Saw Motor Requirements .....</b>	<b>167</b>
<b>Symbols: Final Project.....</b>	<b>168</b>
<b>Bill Of Materials: Final Project .....</b>	<b>169</b>

<b>Schematic: Final Project.....</b>	<b>170</b>
<b>Calculations: Final Project.....</b>	<b>171</b>
<b>Review: Final Project.....</b>	<b>172</b>
<b>Challenge: Final Project.....</b>	<b>173</b>
<b>Post-Evaluation .....</b>	<b>174</b>
<b>Appendix .....</b>	<b>179</b>
<b>Schematic Symbols .....</b>	<b>179</b>
<b>Fluid Lines.....</b>	<b>179</b>
<b>Accessories .....</b>	<b>180</b>
<b>Actuators .....</b>	<b>181</b>
<b>Pumps.....</b>	<b>182</b>
<b>Hydrostatic Pumps .....</b>	<b>183</b>
<b>Pressure Controls .....</b>	<b>184</b>
<b>Flow Controls .....</b>	<b>185</b>
<b>Directional Controls .....</b>	<b>186</b>
<b>Expanded Symbols .....</b>	<b>188</b>
<b>Internal Pilot — External Drain (Variable Displ. Pump) .....</b>	<b>188</b>
<b>External Pilot — Internal Drain (Variable Displ. Pump) .....</b>	<b>189</b>
<b>External Pilot — External Drain (Variable Displ. Pump) .....</b>	<b>190</b>
<b>Internal Pilot — Internal Drain (Variable Displ. Pump) .....</b>	<b>191</b>
<b>Internal Pilot — External Drain (Fixed Displ. Pump) .....</b>	<b>192</b>
<b>External Pilot — Internal Drain (Fixed Displ. Pump) .....</b>	<b>193</b>
<b>External Pilot — External Drain (Fixed Displ. Pump) .....</b>	<b>194</b>
<b>Internal Pilot — Internal Drain (Fixed Displ. Pump) .....</b>	<b>195</b>
<b>Common Directional Valve Mounting Patterns .....</b>	<b>196</b>
<b>Types/Locations of Hydraulic Filters.....</b>	<b>198</b>
<b>Reservoir Breather.....</b>	<b>198</b>
<b>Suction Strainer .....</b>	<b>198</b>
<b>Suction Filter .....</b>	<b>199</b>
<b>Pressure Filter .....</b>	<b>199</b>
<b>Return Line Filter .....</b>	<b>200</b>
<b>Offline Filtration .....</b>	<b>201</b>

<b>Filter Selection .....</b>	<b>202</b>
<b>Selection Considerations.....</b>	<b>202</b>
<b>Surface Media .....</b>	<b>202</b>
<b>Wire Mesh.....</b>	<b>202</b>
<b>Depth Media.....</b>	<b>203</b>
<b>Cellulose:.....</b>	<b>203</b>
<b>Fiberglass:.....</b>	<b>203</b>
<b>Pressure Differential Across Element .....</b>	<b>204</b>
<b>Filter Flow Rate .....</b>	<b>204</b>
<b>Filter Bypass Valve .....</b>	<b>204</b>
<b>Filter Housings .....</b>	<b>205</b>
<b>Selection Considerations.....</b>	<b>205</b>
<b>Hydraulic Formulae.....</b>	<b>206</b>
<b>Quick Reference.....</b>	<b>206</b>
<b>Cylinder Math .....</b>	<b>206</b>
<b>Pump Math .....</b>	<b>207</b>
<b>Motor Math .....</b>	<b>207</b>
<b>Fluid Line Sizing Math .....</b>	<b>207</b>
<b>Pumps.....</b>	<b>208</b>
<b>Cubic Inches Per Minute, Gallons Per Minute .....</b>	<b>208</b>
<b>Horsepower .....</b>	<b>208</b>
<b>Motors .....</b>	<b>209</b>
<b>RPM .....</b>	<b>209</b>
<b>Torque .....</b>	<b>209</b>
<b>Cylinders.....</b>	<b>210</b>
<b>Blind End Area .....</b>	<b>210</b>
<b>Rod End Area .....</b>	<b>210</b>
<b>Cylinder Area Ratio.....</b>	<b>211</b>
<b>Regenerative Cylinder Area Ratio .....</b>	<b>212</b>
<b>Force .....</b>	<b>213</b>
<b>Pressure .....</b>	<b>213</b>
<b>Rod Speed .....</b>	<b>214</b>
<b>Stroke Time .....</b>	<b>214</b>
<b>Fluid Lines.....</b>	<b>215</b>

<b>Fluid Velocity</b> .....	215
<b>Fluid Line Diameter</b> .....	215
<b>Fluid Lines</b> .....	216
<b>Line Sizing</b> .....	216
<b>Glossary</b> .....	217
<b>A</b> .....	217
<b>Annulus</b> .....	217
<b>ANSI</b> .....	217
<b>Area</b> .....	217
<b>Atmospheric Pressure</b> .....	217
<b>B</b> .....	217
<b>Balanced Spool</b> .....	217
<b>Bernoulli's Principle</b> .....	217
<b>C</b> .....	217
<b>Closed Circuit</b> .....	217
<b>Conservation of Energy</b> .....	217
<b>Cushions</b> .....	218
<b>Cylinder Displacement</b> .....	218
<b>Cylinder Mounting Styles</b> .....	218
<b>Cylinder, JIC Type</b> .....	218
<b>Cylinder Rod</b> .....	218
<b>D</b> .....	218
<b>Displacement</b> .....	218
<b>Double Acting Cylinder, Single Rod</b> .....	218
<b>Double Acting Cylinder, Double Rod</b> .....	219
<b>E</b> .....	219
<b>Expanded Hydraulic Symbol</b> .....	219
<b>F</b> .....	219
<b>Finite</b> .....	219
<b>Force</b> .....	219
<b>G</b> .....	219
<b>H</b> .....	219
<b>Head Pressure</b> .....	219
<b>Horsepower</b> .....	219
<b>Hydraulic Horsepower</b> .....	219

<b>Hydraulic Motor, HSLT</b> .....	<b>220</b>
<b>Hydraulic Motor, LSHT</b> .....	<b>220</b>
<b>Hydraulic Schematic</b> .....	<b>220</b>
<b>Hydraulic Symbols</b> .....	<b>220</b>
<b>Hydrodynamic</b> .....	<b>220</b>
<b>Hydrostatic</b> .....	<b>220</b>
<b>I</b> .....	<b>220</b>
<b>I.D.</b> .....	<b>220</b>
<b>Inches of Mercury</b> .....	<b>220</b>
<b>Infinite</b> .....	<b>220</b>
<b>J</b> .....	<b>220</b>
<b>K</b> .....	<b>220</b>
<b>Kinetic Energy</b> .....	<b>220</b>
<b>L</b> .....	<b>221</b>
<b>Laminar Flow</b> .....	<b>221</b>
<b>Load Pressure</b> .....	<b>221</b>
<b>M</b> .....	<b>221</b>
<b>N</b> .....	<b>221</b>
<b>O</b> .....	<b>221</b>
<b>O.D.</b> .....	<b>221</b>
<b>Oil Flow</b> .....	<b>221</b>
<b>Oil Flow Paths</b> .....	<b>221</b>
<b>Oil Velocity</b> .....	<b>221</b>
<b>Open Circuit</b> .....	<b>221</b>
<b>Overhung Load</b> .....	<b>221</b>
<b>Overrunning Load</b> .....	<b>222</b>
<b>Orifice</b> .....	<b>222</b>
<b>P</b> .....	<b>222</b>
<b>Parallel Flow</b> .....	<b>222</b>
<b>Pascal's Law</b> .....	<b>222</b>
<b>Piston</b> .....	<b>222</b>
<b>Positive Displacement</b> .....	<b>222</b>
<b>Power</b> .....	<b>222</b>
<b>Pressure</b> .....	<b>222</b>
<b>Pressure Drop (<math>\Delta P</math>)</b> .....	<b>222</b>

<b>Prime Mover .....</b>	<b>222</b>
<b>PSIA .....</b>	<b>222</b>
<b>PSIG .....</b>	<b>223</b>
<b>P<sub>t</sub> = P<sub>s</sub> + P<sub>v</sub> .....</b>	<b>223</b>
<b>Q.....</b>	<b>223</b>
<b>R.....</b>	<b>223</b>
<b>Resistive Load .....</b>	<b>223</b>
<b>S .....</b>	<b>223</b>
<b>Series Flow .....</b>	<b>223</b>
<b>System Pressure.....</b>	<b>223</b>
<b>T .....</b>	<b>223</b>
<b>Turbulent Flow.....</b>	<b>223</b>
<b>Torque .....</b>	<b>223</b>
<b>U .....</b>	<b>223</b>
<b>V .....</b>	<b>224</b>
<b>Vacuum .....</b>	<b>224</b>
<b>Valve Poppet.....</b>	<b>224</b>
<b>Valve Spool.....</b>	<b>224</b>
<b>Valve Spool Positioning.....</b>	<b>224</b>
<b>Venturi.....</b>	<b>224</b>
<b>W .....</b>	<b>224</b>
<b>Work.....</b>	<b>224</b>
<b>X .....</b>	<b>224</b>
<b>Y .....</b>	<b>224</b>
<b>Z .....</b>	<b>224</b>
<b>Course Evaluation.....</b>	<b>225</b>